



SMART WIFI / SMART IR WIFI



Savanna



Cosmos Black



Royal Granit



Brilliant Red



Platinum



Volcano Gray




Madeira


Smart exhaust fans with stylish design for enhanced comfort in bathrooms, shower rooms, kitchens and Wi-Fi control from a smartphone

FEATURES

- Intelligent electronics and integrated functions for the ideal microclimate.
- High air flow up to 133 m³/h and silent operation due to a specially designed motor and aerodynamic profiled impeller.
- High-efficient DC motor with low energy demand and reliable non-stop operation rated for above 50 000 hours.
- Impulse-type power supply unit with a wide power supply range from 100 to 240 V, 50/60 Hz provides stable operation in electrical grids with versatile power supply standards.
- The fan has automatic power shutoff function in case of the motor jam.
- Low noise level due to specially designed fixation of the motor and the impeller on a vibration absorbing mount.
- The built-in slide switch makes it easy to disconnect the fan from power mains for safe operation.
- Ultrathin casing with 28 mm thickness.
- Versatile mounting – vertical or horizontal installation.
- Replaceable connecting piece for connection to Ø 100 or 125 mm air ducts.



- Easy detachable motor and impeller block requires no tools and provides comfortable servicing.



MODES and FUNCTIONS

- The operating mode for the Smart WiFi fan can be selected using an application for Android or iOS.



INTELLIGENT HUMIDITY SENSOR

The fan has an integrated intelligent humidity sensor with the following operation modes:

Manual mode allows setting the humidity threshold in range from 40 % to 80 %. If this threshold is exceeded, the fan turns on or switches to higher speed.

Auto – intelligent humidity control.

This mode provides for humidity threshold change and fan speed selection in automatic mode. The fan independently selects the optimum humidity threshold for the room in which it is installed. Fan operation algorithm is selected based on analysing the statistical data of indoor humidity level.



AUTOMATIC OPERATION BASED ON TEMPERATURE SENSOR

If the air temperature exceeds the set point, the fan will switch to Max speed and will return to the previous mode only after indoor temperature drops by 4 °C below the set point.

TIMER

The fan is equipped with two various timer types to provide maximal comfort:

- **Turn-on delay timer** allows to delay switching to a higher speed by 2 or 5 minutes after sensor activation.
- **Turn-off delay timer** is designed to prolong the fan operation for 5, 15, 30 or 60 minutes in the mode caused by sensor activation or Boost mode activation.

24h 24 HOURS

Silent – permanent low-speed operation mode. If the humidity changes, the fan switches to a higher speed (**Max mode**). The fan is switched to Silent mode after signal from the motion sensor or external switch.

Do not disturb – the function is only available when the 24 hours mode is activated. This function allows for setting the time interval so that the fan will not respond to sensors or switch actuation, and will operate at minimum speed (**Silent**).

INTERVAL VENTILATION

Automatic interval ventilation (function is only available when the 24 hours mode is deactivated). This mode allows ventilating the room every 12 hours for 30 minutes at the set speed.

SMOOTH SPEED CONTROL


The fan has an integrated smooth speed control function for each mode:

- **Silent Mode.** The fan runs at Silent speed. The speed can be adjusted in the range from 30 % to 100 % of the fan maximum performance.
- **Max (Boost Mode).** The fan runs at Max speed. The speed can be adjusted in the range from 30 % to 100 % of the fan maximum performance.

MOTION SENSOR (FOR SMART IR WIFI)

When the motion sensor is activated the turn-on delay timer is switched on. Then the fan will switch to Silent speed. Once there is no motion detected, and after turn-off delay time the fan will switch to standby mode.

OVERALL DIMENSIONS AND MOUNTING



Dimensions [mm]	a	b	c	Ød	e
Smart WiFi / Smart IR WiFi	155.5	209	28	100/125	28

SPECIFICATIONS

Model	Smart WiFi / Smart IR WiFi					
	100			125		
Duct diameter [mm]	100			125		
Mode	24 hrs	Silent	Max	24 hrs	Silent	Max
Voltage [V]	100-240					
Frequency [Hz]	50/60					
Power [W]	1.6	2.9	5.6	1.7	3	6
Current [A]	0.02	0.04	0.06	0.03	0.04	0.07
Air flow [m ³ /h]	33(9)	72(20)	106(29)	40(11)	83(23)	133(37)
Control Range [m ³ /h]	-	33...106 (9 ... 29)		-	40 ...133 (11 ... 37)	
Noise level [dBA]	17	21	31	17	22	32

